

**TEMPORARY
FENCES**

DESIGNED FOR SECURITY



**INSTALLS TWICE AS FAST
WITH HALF THE STAFF**



PROTEC PLUS

**GALVANIZED
FINISH**

**6
GAUGE**

**2" X 4 7/8"
MESH OPENING**


FRAMED PANEL MADE OF 6 GAUGE GALVANIZED WELDED WIRE WITH REINFORCING BENDS

- ▲ Perfect for securing job sites or perimeter
- ▲ Saferstack technology
- ▲ Double clamps or hook attachment system
- ▲ One person quick installation



DESCRIPTION	FINISH	DIMENSION (H x W)	WEIGHT	MODEL	QTY/PALLET	WEIGHT/PALLET
6'4" PROTEC PLUS SAFERSTACK	Galvanized	76 x 90 5/16 in.	54 lb (24.5 kg)	CT-TFP7696PLUSS	50	3,418 lb (1,550 kg)
6'4" PROTEC PLUS SAFERSTACK with hook	Galvanized	76 x 90 5/16 in.	55 lb (25 kg)	CT-TFP7696PLUSHS	50	3,468 lb (1,573 kg)
8'6" PROTEC PLUS SAFERSTACK	Galvanized	103 x 90 5/16 in.	80 lb (36.3 kg)	CT-TFP10396PLUSS	28	2,578 lb (1,169 kg)
8'6" PROTEC PLUS SAFERSTACK with hook	Galvanized	103 x 90 5/16 in.	78 lb (35.4 kg)	CT-TFP10396PLUSHS	28	2,606 lb (1,182 kg)

ADVICE : ADD 5/8" PER FENCE PANEL LENGTH TO CALCULATE THE REQUIRED LINEAR FEET



PROTEC

**GALVANIZED
FINISH**

**6
GAUGE**

**2" X 6"
MESH OPENING**

REGULAR PANEL MADE OF 6 GAUGE GALVANIZED WELDED WIRE AND REINFORCING BENDS

- ▲ Perfect for securing job sites or perimeter
- ▲ Saferstack technology
- ▲ Double clamps or hook attachment system
- ▲ One person quick installation



DESCRIPTION	FINISH	DIMENSIONS (H x W)	WEIGHT	MODEL	QTY/PALLET	WEIGHT/PALLET
6' PROTEC SAFERSTACK	Galvanized	71 x 90 5/16 in.	46 lb (20.9 kg)	CT-TFP7296S	60	3,608 lb (1,637 kg)
6' PROTEC SAFERSTACK with hook	Galvanized	71 x 90 5/16 in.	47 lb (21.3 kg)	CT-TFP7296HS	60	3,668 lb (1,664 kg)
8' PROTEC SAFERSTACK	Galvanized	98 x 90 5/16 in.	63.5 lb (28.8 kg)	CT-TFP9696S	45	3,473 lb (1,575 kg)
8' PROTEC SAFERSTACK with hook	Galvanized	98 x 90 5/16 in.	64.5 lb (29.3 kg)	CT-TFP9696HS	45	3,518 lb (1,596 kg)

ADVICE : ADD 5/8" PER FENCE PANEL LENGTH TO CALCULATE THE REQUIRED LINEAR FEET



PERFECT FOR CROWD CONTROL AND SECURITY



SECURIGARD

GALVANIZED FINISH **6 GAUGE** **2" X 6" MESH OPENING**

STURDY PANEL MADE OF 6 GAUGE GALVANIZED WIRE WELDED TO A TUBED FRAME OF 1 1/2"

- ▲ Lighter and economical
- ▲ Restricted opening
- ▲ Optional 3" base for interior and toeboard
- ▲ Height of 3 1/2 feet

DESCRIPTION	FINISH	DIMENSION (H x W)	WEIGHT	MODEL	QTY/PALLET	WEIGHT/PALLET
42" SECURIGARD	Galvanized	42 x 86 in.	36 lb (16.3 kg)	CT-SECARDGV	30	1,410 lb (640 kg)



SECURICROWD

GALVANIZED FINISH **3 7/8" TUBES SPACING**

STURDY PANEL MADE OF 1/2" GALVANIZED ROUND TUBES WELDED TO A TUBED FRAME OF 1 1/2"

- ▲ Industry compatible
- ▲ Welded hook attachment system
- ▲ Height of 3 1/2 feet

DESCRIPTION	FINISH	DIMENSION (H x W)	WEIGHT	MODEL	QTY/PALLET	WEIGHT/PALLET
42" SECURICROWD	Galvanized	42 x 101 in.	58.9 lb (26.7 kg)	CT-SECCTYGV	30	2,065 lb (937 kg)



PANEL FOR JERSEY

GALVANIZED FINISH **6 GAUGE** **2" X 4 7/8" MESH OPENING**

TOP MOUNTED SECURITY FENCE FOR PRECAST CONCRETE BARRIERS.

- ▲ Excellent for vehicular traffic and pedestrian control
- ▲ Higher safety of potentially dangerous areas
- ▲ Panel secured to the concrete barrier with bolts
- ▲ Galvanized maintenance-free framed panel

DESCRIPTION	FINISH	DIMENSION (H x W)	WEIGHT	MODEL	QTY/PALLET	WEIGHT/PALLET
PANEL FOR CONCRETE JERSEY	Galvanized	52 x 76 in.	33.5 lb (15.2 kg)	CT-TFP5276PLUS	50	1,885 lb (855 kg)

SAFERSTACK®


COMPACT AND SECURE STORAGE SYSTEM

AVAILABLE ACCESSORIES

- P** PROTEC & PROTEC PLUS
- S** SECURIGARD
- SC** SECURICROWD

- G** ACCESS GATE
- J** PANEL FOR CONCRETE JERSEY

PRODUCT	TYPE	DESCRIPTION	FINISH	MODEL	WEIGHT
	P	Double clamp	Galvanized	CT-TFDCGK	0.75 lb (0.3 kg)
	P	Gate latch and finger kit	Galvanized	CT-TFLGF	2 lb (0.9 kg)
	P	Gate hinge kit	Galvanized	CT-TFHG	4.24 lb (1.9 kg)
	P	Fence stabilizer	Galvanized	CT-STABILGV	5.3 lb (2.4 kg)
	P	SAFERSTACK transport and storage system	Galvanized	CT-SAFERRACK	253 lb (115 kg)
	P	Identification plate	N/A	CT-PLAQUEIDGEN	N/A
	P	Pedestrian access gate	Galvanized	CT-TAGK	49 lb (22 kg)
	P S	Reinforced base plate	Galvanized	CT-TFBPG	11 lb (5 kg)
	S	Toeboard	Galvanized	CT-SGTBGV	10 lb (4.5 kg)
	S	Fixed square base plate	Galvanized	CT-SECBPFGV	2.7 lb (1.2 kg)
	SC	Base plate (Receiver side)	Galvanized	CT-TFBPCTYRGV	3.2 lb (1.5 kg)
	SC	Base plate (Hook side)	Galvanized	CT-TFBPCTYHGV	4.7 lb (2.1 kg)
	G	Access gate top arch	Galvanized	CT-TAGT	17 lb (7.7 kg)
	G	Top arch identification	N/A	ETI-TAGTL	0.25 lb (0.1 kg)
	G	Access gate base	Galvanized	CT-TAGB	32 lb (14.5 kg)
	J	Side fence base	Galvanized	CT-TFPJSEBP	2.9 lb (1.3 kg)
	J	Middle fence base	Galvanized	CT-TFPJSMBP	3.2 lb (1.5 kg)
	J	Fence connection	Galvanized	CT-TFPJSC	2.7 lb (1.2 kg)



CT-TAGT
Access gate top arch

ETI-TAGTL
Top arch identification

CT-TAGK
Galvanized pedestrian access gate 7' x 4'


CT-STABILGV
Galvanized fence stabilizer

CT-SGTBGV
Galvanized toeboard



PRIVACY FENCE NETTING

SHADE
90%



MADE WITH HIGH DENSITY KNITTED POLYETHYLENE MATERIAL, PRIVACY NETTING GIVES 90% PRIVACY BLOCKAGE, BUT STILL ALLOWS FOR AIR MOVEMENT AND VENTILATION.

- ▲ Perfect for construction job sites, golf courses, universities, scaffold enclosure, theme parks & events
- ▲ Wind control
- ▲ Reduce dust
- ▲ Easy to handle & easy to install
- ▲ OSHA compliant

DESCRIPTION	DIMENSIONS (H x W)	PACKAGE (H x W)	COLOR	WEIGHT	COMPATIBLE	MODEL
6' PRIVACY FENCE NETTING	6 X 150 ft	72 X 10 in.	BLACK	37 LB (16.8 KG)	P 6' PROTEC & PROTEC PLUS	CT-TFNET6BK
6' PRIVACY FENCE NETTING	6 X 150 ft	72 X 10 in.	GREEN	37 LB (16.8 KG)	P 6' PROTEC & PROTEC PLUS	CT-TFNET6GN
6' PRIVACY FENCE NETTING	6 X 150 ft	72 X 10 in.	BLUE	37 LB (16.8 KG)	P 6' PROTEC & PROTEC PLUS	CT-TFNET6BL

DESCRIPTION	DIMENSIONS (H x W)	PACKAGE (H x W)	COLOR	WEIGHT	COMPATIBLE	MODEL
8' PRIVACY FENCE NETTING	8 X 150 ft	96 X 10 in.	BLACK	45 LB (20.5 KG)	P 8' PROTEC & PROTEC PLUS	CT-TFNET8BK
8' PRIVACY FENCE NETTING	8 X 150 ft	96 X 10 in.	GREEN	45 LB (20.5 KG)	P 8' PROTEC & PROTEC PLUS	CT-TFNET8GN
8' PRIVACY FENCE NETTING	8 X 150 ft	96 X 10 in.	BLUE	45 LB (20.5 KG)	P 8' PROTEC & PROTEC PLUS	CT-TFNET8BL



CUSTOMIZE IT!

- ✔ PROMOTE YOUR COMPANY WITH A PERSONALIZED NAMEPLATE*
- ✔ INCREASE YOUR VISIBILITY WITH COLORFUL FENCES

OPTIONAL COLORS:




* The identification plates are only sold with a minimum order. Please check with our customer service to get our great rates!



SAFERSTACK®

SAFERSTACK® PANELS INTERLOCKS FIRMLY INTO PLACE
MAKING IT **ECONOMICAL** AND **SECURE**.



35 SAFERSTACK®
PANELS

35 REGULAR
PANELS

ADVANTAGES

✔ SAVINGS

- ▲ Up to **40%** in storage space reduction.
- ▲ Increases loading capacity per truckload.
- ▲ Reduces fuel costs.

✔ INCREASED SAFETY

- ▲ Fence panels interlock to prevent slippage when stacked.
- ▲ Fewer work related accidents.
- ▲ Fewer insurance claims.



METALTECH SALE OFFICE:

1735 St-Elzear Blvd. West, Laval (Quebec) Canada H7L 3N6
T 450 681-6440 / 1 800 363-7587 | F 450 681-7905
www.metaltech.co | customerservice@metaltech.co

METALTECH